

The Forecast is produced using data collected by fisheries management biologists during their annual lake monitoring activities (which include test netting and electroshocking). Not every lake is sampled each year, so a three-year average has been included. Waters with low densities of certain species may not be listed.

The data is separated into three categories – reservoirs (those larger than 1,200 acres), lakes (waters from 10 to 1,200 acres), and ponds (waters smaller than 10 acres) – because sampling on small water bodies may not be comparable with that on larger areas.

Tables have been created for popular species and include a **Density Rating**, **Preferred Rating**, **Lunker Rating**, **Biggest Fish**, **Biologist's Rating**, and **3-year Average**.

The **Density Rating** is the number of fish that were high-quality size or larger sampled per unit of sampling effort. The number, listed in parentheses at the top of the **Density Rating** column, is the length of fish considered acceptable to most anglers and is different for each species. The higher the **Density Rating**, the more high-quality sized or larger fish per surface acre in the lake. Theoretically, a lake with a **Density Rating** of 30 has twice as many high-quality sized fish per acre as a lake with a **Density Rating** of 15.

The **Preferred Rating** identifies how many above-average-sized fish a water contains. For example, a lake may have a good density of crappie, but few fish over 10 inches. The **Preferred Rating** tells which lake to go to for a chance to catch bigger fish.

The **Lunker Rating** is similar to the **Density Rating**, but it tells you the relative density of lunker-sized fish in the lake. A lunker is a certain length of fish considered a trophy by most anglers. It also differs with each species and is listed in parentheses at the top of the **Lunker Rating** column. For example, most anglers consider a channel catfish longer than 28 inches a lunker. Many lakes may have a lunker rating of 0, but this does not mean there are no big fish in that lake. It just means that no lunker fish were caught during sampling, and they may be less abundant than in lakes with positive **Lunker Ratings**.

You can use the **Density Rating** and **Lunker Rating** together. If you want numbers, go with the highest **Density Rating**. If you want only big fish, go with the **Lunker Rating**. Somewhere in the middle might be a better choice. A lake with a respectable rating in all three categories will provide the best overall fishing opportunities.

The **Biggest Fish** column lists the weight of the largest fish caught during sampling. A heavy fish listed here can give the lunker fishermen confidence that truly big fish are present.

The **Biologist's Rating** adds a human touch to the forecast. Each district fisheries biologist reviews the data from annual sampling of their assigned lakes. This review considers environmental conditions that may have affected the sampling. They also consider previous years' data. A rating of P (poor), F (fair), G (good), or E (excellent) will be in the last column. Sometimes the **Density Rating** may not agree with the **Biologist's Rating**. This will happen occasionally and means the **Density Rating** may not accurately reflect the biologist's opinion of the fishery.

The **Three-Year Average** rating refers to the averaging of the **Density Rating** over the previous three years of sampling to help show a trend for a particular lake.

This brochure is designed to help improve your fishing success. Your ability to catch fish depends on many factors such as water temperature, water clarity, weather, angling skills, fishing pressure, and density of fish in the lake (i.e. number of fish/acre). You may not have much control over many of these factors, but you can use these tables to select a high density population of your favorite species.

Be sure to keep a copy of the current Fishing Regulations Summary in your tackle box. The pamphlet includes a listing of laws and regulations, information about aquatic nuisance species precautions and distribution, as well with all the length and creel limits for the various reservoirs and state and community lakes. The pamphlet also has an application for a Master Angler Award, as well as a list of state records.

AD ASTRA PER ASPERA

Kansas

Department of Wildlife, Parks and Tourism

This program receives federal financial assistance from the U.S. Fish and Wildlife Service. Under Title VI of the Civil Rights Act of 1964, Section 504 of the Rehabilitation Act of 1973, Title II of the Americans with Disabilities Act of 1990, the Age Discrimination Act of 1975, Title IX of the Education Amendments of 1972, the U.S. Department of the Interior and its bureaus prohibit discrimination on the bases of race, color, national origin, age, disability or sex (in educational programs). If you believe that you have been discriminated against in any program, activity or facility, or if your desire further information please write to: U.S. Fish and Wildlife Service, Officer for Diversity and Civil Rights Programs, External Programs, 4040 North Fairfax Drive, Suite 130 Arlington, VA 22203 02/12

KANSAS

Fishing Forecast

2012



FOR A COMPLETE LISTING OF ALL SAMPLING RESULTS VISIT OUR WEBSITE AT:
kdwpt.state.ks.us



Impoundment	Density Rating	Preferred Rating	Lunker Rating	Biggest Fish	Biologist Rating	3-Year Average
BLUEGILL						
	(>6")	(>8")	(>10")	(lbs.)		(>6")
RESERVOIRS						
SEBELIUS (NORTON)	12.00	0.38	0.00	0.48	G	7.25
BIG HILL	8.18	0.18	0.00	0.33	G	5.02
HILLSDALE	7.00	0.00	0.00	0.46	F	5.83
LACYGNE	4.31	0.00	0.00	0.31	G	4.13
MILFORD	3.38	0.00	0.00	0.41	F	1.88
WEBSTER	3.25	0.00	0.00	0.42	F	12.73
GLEN ELDER	3.24	0.00	0.00	0.35	F	5.80
TUTTLE CREEK	2.69	0.00	0.00	0.40	F	0.98
LAKES						
LOGAN CITY LAKE	124.67	0.00	0.00	0.33	G	68.22
BROWN SFL	57.00	4.25	0.00	0.50	G	24.50
GARDNER CITY LAKE	49.00	0.00	0.00	0.34	G	33.85
ROOKS STATE LAKE	27.50	2.25	0.00	0.50	G	21.25
HOLTON - BANNER CREEK LAKE	23.75	0.13	0.00	0.37	G	16.58
PAOLA CITY LAKE	23.67	0.00	0.00	0.35	F	10.14
ATCHISON SFL	23.25	0.25	0.00	0.41	G	13.42
GRAHAM CO.-ANTELOPE LAKE	20.75	5.00	0.00	0.50	G	15.42
SHAWNEE CO.-LAKE SHAWNEE	20.38	0.50	0.00	0.39	G	10.25
JEWELL SFL	20.00	2.25	0.00	0.50	G	9.33
PT CO.-CROSS CREEK LAKE	18.75	0.00	0.00	0.31	G	22.38
PRATT CO. LAKE	17.75	0.75	0.00	0.56	G	7.25
NEOSHO SFL	16.50	0.00	0.00	0.30	G	10.75
GEARY SFL	16.00	0.00	0.00	0.22	G	6.25
BOURBON SFL	15.67	0.00	0.00	0.30	G	9.06
SCOTT STATE LAKE	15.50	0.50	0.00	0.40	F	9.75
MCPHERSON SFL	14.50	1.50	0.00	0.29	F	15.50
ESKRIDGE-LAKE WABAUNSEE	14.50	0.00	0.00	0.30	G	14.50
OLATHE-CEDAR LAKE	14.00	0.00	0.00	0.22	F	6.58
ATCHISON CITY LAKE #8	13.50	0.00	0.00	0.25	G	13.50
ATCHISON CITY LAKE 23 (WARNOCK)	13.50	0.50	0.00	0.47	G	13.50
MIAMI SFL	13.00	1.00	0.00	0.43	F	5.42
GARNETT-CRYSTAL LAKE	12.50	0.00	0.00	0.30	G	6.25
HERINGTON CITY LAKE-OLD	12.25	0.00	0.00	0.32	G	4.60
POTTAWATOMIE SFL #1	12.25	0.00	0.00	0.30	G	10.67
DOUGLAS SFL	11.50	0.00	0.00	0.24	F	8.92
EUREKA CITY LAKE	11.00	0.00	0.00	0.31	G	10.92
TOPEKA - LK. HAMMOND (YMCA)	9.00	3.00	0.00	0.44	G	16.25
LENEXA-LAKE LENEXA	8.00	0.00	0.00	0.25	F	15.75
KIOWA SFL	7.75	0.00	0.00	0.34	F	3.42
OTTAWA SFL	7.50	0.00	0.00	0.30	G	9.96
JETMORE CITY LAKE	7.50	2.00	0.00	0.50	F	9.38
SEDAN - OLD (NORTH) CITY LAKE	7.00	0.00	0.00	0.28	G	6.92
BELLEVILLE-ROCKY POND	6.75	0.00	0.00	0.31	F	5.58
NEBO SFL	6.75	0.00	0.00	0.26	F	4.50
SABETHA - PONY CREEK LAKE	6.50	0.00	0.00	0.37	F	16.08
WELLINGTON-HARGIS CREEK LAKE	6.50	0.00	0.00	0.29	F	8.25
DOUGLAS CO.-LONESTAR LAKE	6.00	0.25	0.00	0.31	F	6.33
CRAWFORD SFL	6.00	0.00	0.00	0.22	F	2.08
PLEASANTON - WEST LAKE	6.00	1.50	0.00	0.40	G	9.42
CHASE SFL	5.50	0.00	0.00	0.29	G	4.69
BONE CREEK LAKE	5.00	1.00	0.00	0.46	G	2.64
MIDDLE CREEK SFL	4.75	0.00	0.00	0.22	F	3.25
THAYER CITY LAKE	4.50	0.00	0.00	0.28	G	2.50
WINFIELD CITY LAKE	4.30	0.00	0.00	0.24	G	3.15
COWLEY SFL	4.25	0.00	0.00	0.29	G	6.63
HARVEY CO. LAKE - EAST	4.25	0.00	0.00	0.35	E	2.25
PONDS						
JEWELL CITY LAKE	32.00	0.50	0.00	0.39	G	77.28
BALDWIN - SPRING CREEK LAKE	18.50	0.00	0.00	0.22	F	11.25
GLEN ELDER STATE PARK POND	15.50	0.00	0.00	0.18	F	15.50
SEVERY CITY LAKE	10.50	0.00	0.00	0.21	G	6.50
FORT LEAVENWORTH-MERRITT LAKE	8.00	0.00	0.00	0.34	P	8.00
ATCHISON CITY LAKE #7	6.00	0.00	0.00	0.16	F	6.00
TROY 4-H LAKE	5.00	0.00	0.00	0.41	F	5.00
WEBSTER-STILLING BASIN	3.50	0.00	0.00	0.34	F	6.75

Impoundment	Density Rating	Preferred Rating	Lunker Rating	Biggest Fish	Biologist Rating	3-Year Average
REDEAR						
	(>7")	(>9")	(>11")	(lbs.)		(>7")
RESERVOIRS						
BIG HILL	1.00	0.00	0.00	0.42	F	0.79
LAKES						
BONE CREEK LAKE	32.00	2.71	0.00	0.88	E	13.54
DOUGLAS SFL	24.50	0.00	0.00	0.32	F	13.75
JEWELL SFL	14.00	2.50	0.00	0.62	G	9.25
MONTGOMERY SFL	8.00	1.25	0.00	0.64	E	4.17
SEDAN - OLD (NORTH) CITY LAKE	5.75	0.00	0.00	0.55	F	3.25
COWLEY SFL	5.25	2.00	0.00	0.86	F	7.63
BROWN SFL	3.50	0.50	0.00	0.72	F	1.88
GARNETT CITY LAKE-NORTH	3.50	1.00	0.00	0.65	G	3.50
LEAVENWORTH SFL	3.00	0.25	0.00	0.47	F	7.67
THAYER CITY LAKE	3.00	1.00	0.00	0.72	G	3.25
BUTLER SFL	2.75	0.00	0.00	0.42	P	1.50
DOUGLAS CO.-LONESTAR LAKE	2.75	1.75	0.00	0.78	F	2.67
OSAGE SFL	2.75	0.25	0.00	0.56	F	1.38
BOURBON SFL	2.33	0.67	0.00	0.61	G	1.94
LYON SFL	2.25	0.75	0.00	0.60	F	4.00
WILSON SFL	2.25	0.75	0.00	0.60	G	1.33
ATCHISON CITY LAKE 23 (WARNOCK)	2.25	2.25	0.00	1.03	F	2.25
NEOSHO SFL	2.00	0.50	0.00	0.58	G	6.17
HOWARD-POLK DANIELS LAKE	1.50	0.00	0.00	0.37	P	0.67
ROOKS STATE LAKE	1.50	0.00	0.00	0.43	P	0.75
ATCHISON SFL	1.50	0.25	0.00	0.56	G	6.50
JETMORE CITY LAKE	1.25	0.00	0.00	0.44	G	1.00
PONDS						
BALDWIN - SPRING CREEK LAKE	6.00	0.00	0.00	0.50	F	6.00
JEWELL CITY LAKE	2.00	2.00	0.00	0.92	F	3.00
LAWRENCE-P. DAWSON BILLINGS-N	1.50	0.50	0.00	0.45	P	0.75
SEVERY CITY LAKE	1.50	1.00	0.00	0.64	G	5.25
BLUE CATFISH						
	(>20")	(>30")	(>35")	(lbs.)		(>20")
RESERVOIRS						
EL DORADO	1.13	0.00	0.00	7.47	F	0.84
MILFORD	1.05	0.00	0.00	11.57	G	1.03
WOLF CREEK	1.00	0.07	0.00	12.08	P	1.00
LACYGNE	0.17	0.00	0.00	3.99	F	0.33
LAKES						
YATES CENTER CITY LAKE-NEW	0.33	0.00	0.00	7.76	P	0.33
GARNETT CITY LAKE-NORTH	0.33	0.00	0.00	3.21	G	0.29
FLATHEAD CATFISH						
	(>20")	(>28")	(>34")	(lbs.)		(>20")
RESERVOIRS						
TUTTLE CREEK	0.25	0.05	0.00	9.09	F	0.18
SEBELIUS (NORTON)	0.20	0.20	0.00	8.42	G	0.20
WILSON	0.20	0.00	0.00	4.35	F	0.13
POMONA	0.17	0.00	0.00	2.52	G	0.17
KIRWIN	0.17	0.00	0.00	4.12	G	0.13
TORONTO	0.13	0.00	0.00	5.79	G	0.13
MILFORD	0.10	0.00	0.00	3.36	G	0.08
WOLF CREEK	0.07	0.00	0.00	4.30	F	0.07
LAKES						
OLPE CITY LAKE	0.50	0.50	0.25	9.92	P	0.38
CHASE SFL	0.33	0.00	0.00	3.09	P	0.25
WINFIELD CITY LAKE	0.30	0.00	0.00	3.51	G	0.30
HERINGTON CITY LAKE-NEW	0.25	0.25	0.13	9.31	G	0.19
HOLTON - BANNER CREEK LAKE	0.25	0.00	0.00	2.98	F	0.25
MIDDLE CREEK SFL	0.17	0.17	0.17	10.07	F	0.17
PLEASANTON - EAST LAKE	0.17	0.17	0.17	8.38	F	0.17
YATES CENTER CITY LAKE-NEW	0.17	0.00	0.00	3.00	P	0.17
PONDS						
ATCHISON CITY LAKE #7	0.50	0.00	0.00	1.54	P	0.50

Impoundment	Density Rating	Preferred Rating	Lunker Rating	Biggest Fish	Biologist Rating	3-Year Average
CHANNEL CATFISH						
	(>16")	(>24")	(>28")	(lbs.)		(>16")
RESERVOIRS						
KANOPOLIS	5.00	0.00	0.00	3.96	F	3.75
SEBELIUS (NORTON)	4.90	1.80	0.60	18.29	G	3.40
PERRY	4.20	0.45	0.10	16.31	G	3.65
GLEN ELDER	4.18	0.55	0.09	16.18	G	3.37
LACYGNE	4.17	0.08	0.00	4.96	E	4.17
CLINTON	4.06	0.13	0.13	14.11	G	4.88
POMONA	3.58	0.17	0.00	7.50	E	3.58
BIG HILL	2.90	0.20	0.10	7.98	G	2.81
WILSON	2.90	0.25	0.05	9.08	G	2.83
MELVERN	2.75	0.13	0.00	8.29	G	2.50
LAKES						
GARNETT-CRYSTAL LAKE	14.00	0.00	0.00	3.93	E	9.20
BOURBON SFL	12.00	1.00	0.33	18.52	E	9.63
NEBO SFL	10.00	0.25	0.00	6.56	G	6.38
JETMORE CITY LAKE	9.00	4.50	0.00	5.38	G	6.75
CARBONDALE CITY LAKE - EAST	8.17	0.83	0.00	9.26	G	9.33
CLARK SFL	7.83	0.17	0.00	5.41	G	7.23
PLEASANTON - WEST LAKE	7.00	1.00	0.33	11.20	E	8.00
PLEASANTON - EAST LAKE	6.83	0.33	0.17	8.34	E	7.67
DOUGLAS SFL	6.67	0.17	0.00	5.01	G	7.42
HOLTON - BANNER CREEK LAKE	6.50	1.50	0.25	16.42	G	5.88
TOPEKA - LK. HAMMOND (YMCA)	6.33	0.00	0.00	3.73	G	8.17
HOLTON-PRAIRIE LAKE	6.25	0.25	0.00	5.95	G	6.25
EUREKA CITY LAKE	5.83	2.33	0.00	11.46	G	9.00
CRITZER LAKE	5.83	0.33	0.00	5.46	E	6.08
ATCHISON CITY LAKE 23 (WARNOCK)	5.75	0.25	0.00	4.85	G	5.75
OLATHE-CEDAR LAKE	5.25	0.00	0.00	4.56	F	5.13
PRATT CO. LAKE	5.00	1.00	0.00	6.41	G	4.50
DOUGLAS CO.-LONESTAR LAKE	4.83	0.17	0.17	10.38	G	5.92
MARION CO. LAKE	4.50	1.00	0.67	13.40	G	3.58
PLAINVILLE LAKE	4.33	0.67	0.33	9.99	G	3.17
BELLEVILLE-ROCKY POND	4.25	0.00	0.00	4.42	G	3.63
SABETHA - PONY CREEK LAKE	4.17	1.83	0.50	12.46	F	7.17
PT CO.-CROSS CREEK LAKE	4.00	0.33	0.00	5.21	G	4.00
OTTAWA SFL	3.83	0.33	0.00	6.68	G	3.08
MADISON CITY LAKE	3.83	1.00	0.50	14.99	G	3.42
WILSON SFL	3.67	0.17	0.00	5.40	E	4.83</

Impoundment	Density Rating	Preferred Rating	Lunker Rating	Biggest Fish	Biologist Rating	3-Year Average
LARGEMOUTH BASS						
	(>12")	(>15")	(>20")	(lbs.)		(>12")
RESERVOIRS						
SEBELIUS (NORTON)	79.55	22.39	0.00	3.40	G	52.37
BROWN SFL	61.80	36.52	3.37	6.31	E	66.11
WILSON	34.27	7.93	0.00	4.33	E	30.52
WEBSTER	20.59	8.24	0.00	4.34	F	9.87
PERRY	15.89	12.42	1.16	6.37	G	23.44
HILLSDALE	15.59	6.57	0.20	5.58	F	12.49
BIG HILL	13.96	2.70	0.00	3.75	E	19.24
KIRWIN	10.59	0.59	0.00	2.84	F	4.16
LAKES						
BUTLER SFL	155.88	76.47	5.88	6.06	E	144.55
BROWN SFL	149.02	39.22	0.98	5.97	G	118.63
GARNETT-CRYSTAL LAKE	129.41	82.35	7.84	6.08	E	123.84
POTTAWATOMIE SFL #1	125.74	14.08	0.00	4.39	E	142.03
GARNETT CITY LAKE-NORTH	112.61	40.34	0.00	4.08	E	120.19
MOLINE NEW (NORTH) CITY LAKE	110.18	29.94	0.00	3.75	G	91.30
MIAMI SFL	101.96	25.49	0.00	4.99	G	79.91
OLATHE-LAKE OLATHE	99.22	21.09	0.78	5.74	G	76.61
COWLEY SFL	99.02	20.59	1.96	5.03	G	104.23
OTTAWA SFL	97.65	11.76	1.18	6.03	G	70.20
MCPHERSON SFL	89.71	49.26	5.88	6.70	E	85.61
HOWARD-POLK DANIELS LAKE	88.62	37.13	4.79	7.05	E	64.84
ATCHISON CITY LAKE 23 (WARNOCK)	87.06	2.35	0.00	3.56	G	87.06
SHAWNEE SFL	82.97	35.93	2.61	4.96	G	56.37
POTTAWATOMIE SFL #2	82.13	50.66	2.30	4.74	G	57.44
PLAINVILLE LAKE	80.39	72.55	1.96	7.10	G	32.84
SEDAN - OLD (NORTH) CITY LAKE	79.04	37.13	1.20	5.51	E	81.74
ATCHISON CITY LAKE #8	76.47	45.10	7.84	5.67	G	76.47
HOLTON-PRAIRIE LAKE	74.51	55.88	3.92	6.51	G	74.51
LEAVENWORTH SFL	74.51	21.57	0.98	4.16	G	70.88
PLEASANTON - WEST LAKE	74.47	21.28	3.19	5.36	E	129.31
NEOSHO SFL	72.94	22.35	2.94	5.60	G	50.55
OLATHE-CEDAR LAKE	71.25	35.00	2.50	5.95	G	64.66
ATWOOD-LAKE ATWOOD-MAIN	70.21	15.60	0.00	4.12	G	64.63
GREAT BEND-VETS PARK LAKE	67.99	43.51	0.00	5.20	F	46.90
HOLTON - BANNER CREEK LAKE	66.81	50.00	1.68	6.28	G	64.47
LYON SFL	65.87	3.99	0.00	1.52	G	110.49
NEBO SFL	62.92	41.57	5.62	7.49	G	62.02
MADISON CITY LAKE	62.87	31.94	2.00	5.40	E	53.64
PLEASANTON CITY LAKE - OLD	60.78	7.84	0.98	4.71	G	60.78
SEDAN - NEW (SOUTH) CITY LAKE	59.02	12.83	0.00	3.09	G	51.79
KIOWA SFL	58.93	29.46	0.00	2.33	F	51.91
DOUGLAS CO.-LONESTAR LAKE	58.82	25.00	0.74	5.03	G	62.53
ATCHISON SFL	58.82	21.32	0.00	4.79	F	55.14
PT CO.-CROSS CREEK LAKE	58.52	7.73	1.10	4.72	G	67.53
WILSON SFL	58.24	26.88	1.79	6.06	E	34.91
OSAGE SFL	58.24	5.29	1.18	5.20	G	55.37
JETMORE CITY LAKE	57.26	16.15	0.00	3.38	G	30.05
SABETHA - PONY CREEK LAKE	57.14	23.53	0.00	4.94	F	72.04
BOURBON CO. LAKE	55.74	27.87	1.09	5.05	G	49.77
GARDNER CITY LAKE	55.63	8.75	0.00	4.01	F	56.60
MELVERN RIVER POND	55.04	24.81	0.00	3.02	G	65.11
CHANUTE CITY LAKE	54.62	22.69	1.68	5.75	F	37.48
MOLINE OLD (SOUTH) CITY LAKE	53.89	7.98	0.00	2.20	F	49.34
GRAHAM CO.-ANTELOPE LAKE	50.74	20.59	0.00	3.08	F	46.60
EUREKA CITY LAKE	49.90	11.98	2.99	7.28	E	43.10
JAWHAWK BOY SCOUT LAKE	48.24	24.71	1.18	4.96	F	59.41
SHERIDAN SFL	47.79	7.35	0.00	4.48	F	67.71
PAOLA CITY LAKE	46.32	8.09	0.74	4.27	F	58.98
YATES CENTER CITY LAKE-NEW	46.32	11.03	0.00	2.87	G	35.84
LEBO CITY LAKE	45.59	15.69	0.49	4.41	G	30.53
CLARK SFL	45.49	34.12	2.13	5.17	G	44.51
LENEXA-LAKE LENEXA	45.00	18.75	5.00	6.15	G	69.58
OSAWATOMIE CITY LAKE	42.65	5.88	0.00	3.51	F	35.09
PRATT CO. LAKE	38.08	16.11	0.00	3.43	G	52.04
CRAWFORD SFL	37.56	16.74	1.36	6.15	F	24.22
CRITZER LAKE	37.25	1.96	0.49	4.92	G	21.18

Impoundment	Density Rating	Preferred Rating	Lunker Rating	Biggest Fish	Biologist Rating	3-Year Average
SMALLMOUTH BASS						
	(>11")	(>14")	(>17")	(lbs.)		(>11")
RESERVOIRS						
WOLF CREEK	24.02	8.82	0.98	2.09	E	21.64
GLEN ELDER	18.45	4.81	0.53	4.01	G	19.40
WILSON	12.02	2.56	0.00	1.53	G	15.57
MELVERN	8.50	3.32	0.37	2.19	G	5.79
EL DORADO	3.53	1.76	0.00	1.54	F	4.23
CLINTON	2.31	0.84	0.00	1.96	P	1.27
LAKES						
JEFFREY EC - AUX. MAKEUP LAKE	20.85	6.35	0.00	1.78	E	12.60
POTTAWATOMIE SFL #2	8.44	3.07	1.54	3.71	G	6.48
ESKRIDGE-LAKE WABAUNSEE	8.08	0.90	0.00	1.49	G	6.11
JEFFREY EC - MAKE UP LAKE	5.34	0.89	0.00	2.40	F	4.23
BOURBON CO. LAKE	4.92	4.92	2.19	2.41	G	5.48
CRITZER LAKE	4.90	0.00	0.00	1.02	G	3.02
HOLTON - BANNER CREEK LAKE	1.26	1.26	0.84	3.88	F	0.72
YATES CENTER CITY LAKE-NEW	0.74	0.74	0.00	1.54	P	0.74

Impoundment	Density Rating	Preferred Rating	Lunker Rating	Biggest Fish	Biologist Rating	3-Year Average
STRIPED BASS						
	(>20")	(>30")	(>35")	(lbs.)		(>20")
RESERVOIRS						
WILSON	3.65	0.00	0.00	7.76	G	3.28
GLEN ELDER	0.05	0.00	0.00	9.66	P	0.05

Impoundment	Density Rating	Preferred Rating	Lunker Rating	Biggest Fish	Biologist Rating	3-Year Average
SPOTTED BASS						
	(>11")	(>14")	(>17")	(lbs.)		(>11")
RESERVOIRS						
SEBELIUS (NORTON)	13.55	4.12	0.00	2.23	G	11.99
MELVERN	8.13	2.96	0.00	1.49	F	5.53
CEDAR BLUFF	3.15	1.40	0.00	1.77	F	1.75
WILSON	0.77	0.00	0.00	1.03	P	0.53
LAKES						
WILSON SFL	35.84	9.86	0.00	1.90	E	23.83
HOWARD-POLK DANIELS LAKE	26.35	8.38	0.00	1.50	G	20.81
WINFIELD CITY LAKE	14.12	9.41	0.00	2.27	F	14.20
CRAWFORD SFL	10.41	1.36	0.00	1.88	F	6.07
COUNCIL GROVE CITY LAKE	8.82	0.00	0.00	1.04	G	9.04
CHASE SFL	8.40	0.84	0.00	1.28	G	9.19
BOURBON CO. LAKE	8.24	0.00	0.00	1.12	G	28.31
MARION CO. LAKE	2.98	0.60	0.00	2.17	F	6.54
CHANUTE CITY LAKE	0.84	0.00	0.00	1.58	P	0.68
YATES CENTER CITY LAKE-NEW	0.74	0.00	0.00	1.10	P	0.67

Impoundment	Density Rating	Preferred Rating	Lunker Rating	Biggest Fish	Biologist Rating	3-Year Average
WALLEYE						
	(>15")	(>20")	(>25")	(lbs.)		(>15")
RESERVOIRS						
WEBSTER	6.08	1.08	0.08	8.76	G	3.75
KIRWIN	5.75	4.50	0.33	8.75	G	3.67
GLEN ELDER	4.95	0.23	0.00	4.04	G	4.26
MILFORD	4.55	0.75	0.20	6.82	G	3.40
CEDAR BLUFF	2.73	0.73	0.00	4.96	G	2.21
CHENEY	1.85	0.25	0.00	3.90	F	2.83
LOVEWELL	1.73	0.87	0.07	5.62	G	1.60
WILSON	1.60	0.25	0.00	3.22	G	3.18
MARION	1.13	0.00	0.00	2.49	G	1.04
HILLSDALE	1.08	0.17	0.00	2.83	G	1.58
LAKES						
PRATT CO. LAKE	11.50	2.00	0.50	6.33	G	6.13
HOLTON - BANNER CREEK LAKE	5.38	3.38	0.75	7.80	G	5.56
BARBER SFL-LOWER	3.00	1.00	0.00	3.37	F	2.13
HERINGTON CITY LAKE-NEW	2.75	0.13	0.00	3.21	G	2.13
JEFFREY EC - MAKE UP LAKE	2.00	0.33	0.00	3.07	F	1.17
YATES CENTER CITY LAKE-NEW	2.00	0.33	0.00	2.60	F	1.42
CRITZER LAKE	1.83	0.17	0.00	4.08	G	2.08

Impoundment	Density Rating	Preferred Rating	Lunker Rating	Biggest Fish	Biologist Rating	3-Year Average
WHITE CRAPPIE						
	(>8")	(>10")	(>12")	(lbs.)		(>8")
LAKES						
OLATHE-CEDAR LAKE	71.50	35.50	3.50	1.55	G	38.58
WELLINGTON-HARGIS CREEK LAKE	67.00	25.00	4.50	1.15	E	72.75
SCOTT STATE LAKE	64.50	5.25	0.00	0.62	F	40.83
CARBONDALE CITY LAKE - EAST	47.75	14.50	2.25	1.14	G	28.50
HOWARD-POLK DANIELS LAKE	43.75	11.00	1.00	2.43	E	41.17
ESKRIDGE-LAKE WABAUNSEE	35.75	1.75	0.75	1.11	G	31.50
HERINGTON CITY LAKE-OLD	33.88	7.38	0.88	1.11	G	31.82
HERINGTON CITY LAKE-NEW	29.38	6.13	0.50	1.16	G	13.39
EUREKA CITY LAKE	28.75	5.25	2.75	1.72	G	41.75
OSAGE CITY LAKE	24.00	3.50	0.00	0.75	F	14.00
PAOLA CITY LAKE	20.33	7.00	0.00	0.81	F	9.86
HARVEY CO. LAKE - EAST	19.75	6.25	0.25	1.06	E	32.25
GEARY SFL	19.00	3.50	0.00	0.69	G	12.75
MOLINE NEW (NORTH) CITY LAKE	17.75	2.50	1.00	1.03	G	18.67
ATCHISON CITY LAKE #8	17.50	6.00	1.50	1.04	F	17.50
NEOSHO SFL	17.50	1.00	0.00	0.63	G	27.33
WOODSON SFL	15.20	2.40	0.20	0.97	E	21.48
CHASE SFL	15.00	2.75	0.00	0.75	F	16.17
WELLINGTON CITY LAKE	14.75	1.63	0.25	1.01	F	8.21
SEDAN - OLD (NORTH) CITY LAKE	14.25	1.75	0.75	1.03	G	16.33
SEDAN - NEW (SOUTH) CITY LAKE	13.75	4.50	1.50	1.22	G	21.25
ATCHISON SFL	9.50	0.50	0.00	0.77	F	3.83
ELLIS CITY LAKE	9.50	7.50	1.50	1.54	F	6.33
GARNETT-CRYSTAL LAKE	9.50	1.50	0.50	0.94	G	5.75
BARBER SFL-LOWER	9.25	0.00	0.00	0.37	P	3.33
OLATHE-LAKE OLATHE	9.25	0.50	0.00	0.52	F	6.75
JEFFREY EC - MAKE UP LAKE	8.75	2.50	0.50	1.22	F	4.92
HOLTON-PRAIRIE LAKE	8.50	0.75	0.25	1.12	F	8.50
PLEASANTON - WEST LAKE	8.50	0.50	0.50	1.57	G	25.00
NEBO SFL						

HARVEY CO. LAKE - EAST	37.06	11.18	0.00	4.43	G	20.70
BELLEVILLE-ROCKY POND	34.56	26.47	0.00	4.12	G	67.36
BONE CREEK LAKE	33.56	22.49	0.35	4.59	G	38.20
MEADE STATE LAKE	32.44	32.44	0.00	4.38	F	51.78
HORSETHIEF	31.89	4.91	0.00	3.31	P	31.89
WOODSON SFL	31.86	9.80	0.49	5.47	E	19.96
YATES CENTER-SOUTH OWL LAKE	31.55	16.58	0.00	3.88	E	35.02
CARBONDALE CITY LAKE - EAST	30.94	12.97	0.00	3.86	F	19.46
LOGAN CITY LAKE	30.88	23.53	0.00	4.37	G	32.56
ESKRIDGE-LAKE WABAUNSEE	29.63	13.47	1.80	5.24	F	26.39
CHASE SFL	28.57	15.13	0.00	3.35	G	26.18
COUNCIL GROVE CITY LAKE	28.43	8.82	0.00	2.20	G	22.31
THAYER CITY LAKE	27.94	22.06	4.41	4.93	F	30.97
OSAGE CITY LAKE	25.74	8.91	0.99	5.19	F	21.10
MIDDLE CREEK SFL	25.00	6.25	0.00	4.06	F	22.83
MARION CO. LAKE	23.87	6.56	0.00	3.55	G	32.64
SHAWNEE CO.-LAKE SHAWNEE	21.18	7.65	0.00	4.14	F	37.89
WELLINGTON-HARGIS CREEK LAKE	21.01	11.76	0.84	4.14	F	21.01
WICHITA-KDOT-WEST BORROW PIT	19.20	5.91	0.00	2.57	F	17.15
BARBER SFL-LOWER	18.73	9.36	0.00	2.53	F	26.95

PONDS

BALDWIN - SPRING CREEK LAKE	173.53	29.41	5.88	4.95	G	112.32
NEMAHA WILDLIFE AREA POND	138.69	6.12	0.00	3.19	G	83.75
YATES CENTER KIDS PONDS	130.60	48.51	0.00	3.11	E	133.54
STERLING CITY LAKE	123.53	19.61	0.00	NA	F	123.53
NEW STRAWN CITY LAKE	121.57	60.78	0.00	3.62	E	96.57
OVERBROOK LAKE	102.94	11.76	0.00	3.68	G	70.02
EMPORIA-JONES PARK-NORTH PND	80.00	10.00	0.00	2.20	G	70.00
SEVERY CITY LAKE	77.84	14.97	2.99	3.75	G	109.28
TROY 4-H LAKE	52.94	0.00	0.00	1.13	F	52.94
JEWELL CITY LAKE	51.47	17.65	0.00	3.38	G	32.52
EMPORIA-PETER PAN PARK	48.00	48.00	0.00	2.98	G	52.24
OVERBROOK KIDS POND	44.44	44.44	0.00	2.82	G	37.28
ATCHISON CITY LAKE #7	37.25	9.80	0.00	4.38	F	37.25
WICHITA-KDOT-EAST BORROW PIT	29.67	17.80	0.00	4.24	F	21.61
BLACK KETTLE SFL	15.65	11.76	0.00	NA	F	25.86
GLEN ELDER STATE PARK POND	14.71	5.88	0.00	4.23	F	14.71

SAUGER

	(>11")	(>14")	(>17")	(lbs.)	(>11")	
RESERVOIRS						
PERRY	3.10	1.25	0.65	2.85	G	1.80
CLINTON	1.19	0.75	0.31	2.43	F	0.78
MELVERN	0.13	0.13	0.06	1.86	P	0.09
LAKES						
HOLTON - BANNER CREEK LAKE	0.38	0.25	0.00	0.86	P	0.31

SAUGEYE

	(>14")	(>18")	(>22")	(lbs.)	(>14")	
RESERVOIRS						
KANOPOLIS	12.33	0.08	0.00	2.44	E	9.67
SEBELIUS (NORTON)	10.40	1.90	0.30	7.36	G	7.00
COUNCIL GROVE	3.33	1.17	0.33	4.54	F	2.00
TUTTLE CREEK	2.95	1.55	0.10	5.49	F	1.80
LAKES						
ATWOOD-LAKE ATWOOD-MAIN	17.33	0.00	0.00	1.68	F	8.67
GRAHAM CO.-ANTELOPE LAKE	6.00	1.00	0.33	5.38	G	8.63
OTTAWA SFL	5.83	2.33	1.33	4.74	G	5.92
WELLINGTON CITY LAKE	5.13	1.88	0.13	5.07	E	4.56
SHERIDAN SFL	4.67	0.67	0.00	3.04	G	3.46
HARVEY CO. LAKE - EAST	4.17	0.50	0.17	3.95	F	2.53
WELLINGTON-HARGIS CREEK LAKE	3.75	2.75	0.00	3.68	G	2.88
OLATHE-LAKE OLATHE	3.67	0.50	0.17	3.80	F	2.50
GEARY SFL	2.50	1.00	0.75	4.63	F	2.00
OLATHE-CEDAR LAKE	2.25	1.25	0.00	3.75	F	1.38
SEDAN - NEW (SOUTH) CITY LAKE	1.50	0.00	0.00	1.28	P	0.75
SEDGWICK CO.-LAKE AFTON	1.33	1.33	0.33	4.76	F	1.33
CENTRALIA CITY LAKE	1.25	1.00	0.25	5.86	F	1.06
GARDNER CITY LAKE	1.17	0.67	0.17	3.59	F	1.75
POTTAWATOMIE SFL #2	1.00	1.00	1.00	5.78	P	0.88
ESKRIDGE-LAKE WABAUNSEE	0.83	0.67	0.33	5.45	P	0.83
SCOTT STATE LAKE	0.83	0.00	0.00	0.99	F	0.83
PAOLA CITY LAKE	0.83	0.00	0.00	1.71	F	0.75

WINFIELD CITY LAKE	1.70	0.80	0.20	7.41	G	1.70
SABETHA - PONY CREEK LAKE	1.33	0.67	0.17	6.40	F	0.92
LEAVENWORTH SFL	1.33	0.00	0.00	2.29	F	1.00
GARNETT CITY LAKE-NORTH	1.33	0.33	0.00	3.04	G	0.79
SHAWNEE CO.-LAKE SHAWNEE	1.25	0.63	0.25	5.16	F	1.25
JEWELL SFL	1.25	0.00	0.00	1.38	F	0.75
CLARK SFL	1.00	0.50	0.00	4.15	G	0.88

WHITE BASS

	(>9")	(>12")	(>15")	(lbs.)	(>9")	
RESERVOIRS						
CLINTON	23.50	18.81	4.63	2.03	G	17.66
CEDAR BLUFF	21.09	13.64	4.73	2.09	E	16.15
PERRY	16.35	6.60	1.05	2.31	G	13.23
LOVEWELL	11.53	6.87	0.53	1.84	G	9.23
KANOPOLIS	10.75	7.67	0.58	2.38	E	20.38
EL DORADO	9.56	5.56	0.31	1.96	G	7.56
GLEN ELDER	7.64	7.23	0.73	2.60	G	8.80
POMONA	6.17	4.58	0.25	1.90	G	6.17
KIRWIN	6.17	3.50	0.67	3.11	G	5.75
BIG HILL	6.10	5.10	0.60	2.01	E	6.00
TUTTLE CREEK	5.60	2.65	0.95	4.03	F	4.33
WOLF CREEK	5.47	5.13	0.07	1.70	G	5.47
MELVERN	4.81	3.00	0.75	2.10	F	5.03
MILFORD	4.35	3.40	0.90	2.03	F	4.40
LACYGNE	4.33	3.92	0.08	1.60	G	2.96
HILLSDALE	4.08	2.50	0.08	1.51	F	6.58
COUNCIL GROVE	2.50	0.83	0.00	1.37	G	3.75
FALL RIVER	2.50	1.63	0.50	2.65	F	3.17
WILSON	1.85	1.60	1.10	2.33	F	3.25
WEBSTER	1.75	1.75	0.25	1.70	F	10.04
LAKES						
CLARK SFL	25.50	6.50	0.00	1.34	G	19.19
JEFFREY EC - MAKE UP LAKE	14.67	0.33	0.00	1.45	G	7.58
HERINGTON CITY LAKE-OLD	12.88	11.25	0.38	1.91	G	7.88
CARBONDALE CITY LAKE - EAST	11.67	4.50	1.17	2.43	G	11.67
HERINGTON CITY LAKE-NEW	11.50	7.88	0.13	1.61	F	9.88
SHAWNEE CO.-LAKE SHAWNEE	9.63	3.88	0.00	1.50	G	6.25
MIAMI SFL	4.00	0.00	0.00	0.63	F	2.08
CHASE SFL	2.83	1.17	0.00	0.84	F	3.50
MELVERN RIVER POND	2.67	1.83	0.00	1.51	F	5.08
COWLEY SFL	2.33	2.33	0.67	1.90	P	2.67
SABETHA - PONY CREEK LAKE	2.17	1.67	1.50	2.19	F	1.83
HARVEY CO. LAKE - EAST	2.17	2.00	0.00	1.59	G	2.18
WINFIELD CITY LAKE	1.90	1.40	0.20	2.20	F	1.90
MARION CO. LAKE	1.83	1.50	0.00	1.06	G	1.42
GEARY SFL	1.50	0.00	0.00	0.69	P	0.75
DOUGLAS CO.-LONESTAR LAKE	0.83	0.67	0.67	2.29	P	0.50
SEDAN - NEW (SOUTH) CITY LAKE	0.75	0.00	0.00	0.53	P	1.50
GARDNER CITY LAKE	0.67	0.50	0.17	1.67	F	0.92

WHITE CRAPPIE

	(>8")	(>10")	(>12")	(lbs.)	(>8")	
RESERVOIRS						
LOVEWELL	34.81	3.63	0.56	1.18	G	23.54
HILLSDALE	29.38	15.56	0.75	1.11	G	28.54
MELVERN	25.63	11.25	0.94	1.34	G	21.31
BIG HILL	21.00	5.91	0.27	0.84	E	17.67
PERRY	19.85	10.10	0.45	1.53	G	31.33
ELK CITY	15.19	7.00	3.31	2.67	E	9.02
TUTTLE CREEK	14.00	4.25	0.63	1.43	G	7.65
MILFORD	13.06	5.06	0.94	1.70	G	7.52
CLINTON	13.04	5.35	0.30	1.24	F	11.88
TORONTO	7.81	3.38	1.00	1.75	G	4.44
POMONA	7.44	4.13	0.50	1.32	G	5.91
LACYGNE	6.81	3.19	0.06	0.88	G	6.83
KIRWIN	6.75	5.94	2.19	1.95	G	9.50
FALL RIVER	6.06	4.19	1.06	2.43	G	8.42
EL DORADO	4.81	2.44	0.88	1.30	G	4.00
SEBELIUS (NORTON)	2.75	0.88	0.38	1.15	F	4.71
GLEN ELDER	2.59	1.88	0.47	1.84	G	4.99
COUNCIL GROVE	2.25	1.00	0.25	1.21	G	3.84
CEDAR BLUFF	1.65	0.90	0.20	1.94	F	1.33

BIG HILL	2.27	0.27	0.09	0.71	G	2.22
HILLSDALE	2.06	0.25	0.00	0.70	F	1.25
LAKES						
BELLEVILLE-ROCKY POND	63.75	0.25	0.25	1.03	G	23.58
BROWN SFL	58.00	11.75	0.25	0.90	G	30.08
HOLTON - BANNER CREEK LAKE	39.38	5.25	0.00	0.81	G	29.75
GRAHAM CO.-ANTELOPE LAKE	16.75	12.50	0.25	1.06	G	18.33
NEOSHO SFL	12.00	0.00	0.00	0.35	G	15.33
OSAGE SFL	12.00	0.50	0.00	0.55	F	14.00
PT CO.-CROSS CREEK LAKE	10.50	1.75	0.25	0.90	G	7.88
ESKRIDGE-LAKE WABAUNSEE	8.50	0.00	0.00	0.41	G	5.13
CENTRALIA CITY LAKE	6.63	0.00	0.00	0.39	F	4.08
DOUGLAS CO.-LONESTAR LAKE	6.00	0.50	0.00	0.65	F	5.92
PRATT CO. LAKE	5.50	2.75	0.00	0.82	F	2.39
HARVEY CO. LAKE - EAST	5.25	1.25	0.00	0.77	P	10.00
COWLEY SFL	5.00	1.00	0.00	0.57	F	3.75
POTTAWATOMIE SFL #1	4.00	0.75	0.00	0.64	F	3.75
MONTGOMERY SFL	3.75	1.75	0.25	0.90	G	3.17
ATCHISON CITY LAKE 23 (WARNOCK)	3.75	0.50	0.00	0.78	F	3.75
LENEXA-LAKE LENEXA	3.50	1.00	0.00	0.56	F	1.75
ATCHISON CITY LAKE #8	3.50	0.50	0.00	0.60	F	3.50
THAYER CITY LAKE	3.25	1.00	0.00	0.60	F	1.75
GARNETT-CRYSTAL LAKE	3.20	0.00	0.00	0.27	G	2.00
GARDNER CITY LAKE	2.75	0.75	0.00	0.58	F	1.37
ATCHISON SFL	2.75	1.25	0.25	1.36	F	2.83
SHAWNEE CO.-LAKE SHAWNEE	2.63	0.00	0.00	0.52	P	2.92
JEWELL SFL	2.50	2.25	0.75	1.12	F	1.33
PAOLA CITY LAKE	2.33	0.00	0.00	0.45	F	3.69
YATES CENTER CITY LAKE-NEW	2.00	0.00	0.00	0.44	P	2.00
BOURBON SFL	2.00	0.33	0.00	0.48	G	3.88
MCPHERSON SFL	2.00	0.00	0.00	0.26	P	1.25
POTTAWATOMIE SFL #2	2.00	1.00	0.25	1.20	F	1.75
PONDS						
BALDWIN - SPRING CREEK LAKE	24.00	0.50	0.00	0.58	F	15.67
GLEN ELDER STATE PARK POND	2.00	1.00	0.00	0.74	P	2.00

WIPER

	(>12")	(>15")	(>20")	(lbs.)	(>12")	
RESERVOIRS						
MILFORD	13.40	9.80	2.20	7.35	G	11.05
SEBELIUS (NORTON)	11.60	10.60	1.00	5.20	G	10.05
MARION	8.07	4.80	0.33	3.75	E	7.38
CHENEY	5.95	2.60	0.20	4.08	G	5.20
CLINTON	5.94	5.94	2.13	4.86	F	4.06